




1-855-632-6723

## Price list of Accessories 2020

# ALL TYPE OF RADIATORS

- Aluminum Reflector 18"x24"


24\$ ea. Or 20\$/each when 6 and more



Ornated: item # **P4B** Plain: item # **S17B**

-Cleaning brush for radiator, 28" long


15\$ ea.



item # **brush**

-Cast iron Wall brackets kit model J, includes 2 brackets, 1 bride and screws

75\$ ea.



item # **support J**

- Cast iron Wall brackets kit model L, includes 2 brackets, 1 bride and screws

50\$ ea.



item # **support L**

-Holding device «Safety T» :

10\$ ea.



item # **T65**

-Antique rosette 2 inches brass

8\$ ea.



item # **Ros2pobrass**

- Antique rosette 2 inches cast iron

5\$ ea.



item # **Ros2pofer**



1-855-632-6723

## HYDRONIC RADIATORS

- **PTFE Sealing tape** full density ¾" x 520", grey

9\$ ea.

item # **teflon**



- **Steel Nipples :**

diameter	length	LH/RH	RH/RH	LH/RH #item	RH/RH#item
1/2 " NPT	2"	8,50 \$	4,00 \$	<b>NIP1/2G-Dx2</b>	<b>NIP1/2D-Dx2</b>
	3"			<b>NIP1/2G-Dx3</b>	<b>NIP1/2D-Dx3</b>
3/4" NPT	2"	11,00 \$	5,00 \$	<b>NIP3/4G-Dx2</b>	<b>NIP3/4D-Dx2</b>
	2½"			<b>NIP3/4G-Dx2.5</b>	<b>NIP3/4D-Dx2.5</b>
	3"			<b>NIP3/4G-Dx3</b>	<b>NIP3/4D-Dx3</b>
1" NPT	2½"	15,00 \$	7,00 \$	<b>NIP1G-Dx2.5</b>	<b>NIP1D-Dx2.5</b>
	3"			<b>NIP1G-Dx3</b>	<b>NIP1D-Dx3</b>
1¼" NPT		5"	3"	<b>NIP1.25G-Dx5</b>	<b>NIP1.25D-Dx3</b>
		20,00 \$	9,00 \$		

LH= left threads / RH= right threads



- **elbow 90° steel (female/female)**

diameter	F/F	# item
1/2 " NPT	4,00 \$	<b>ELB1/2</b>
3/4" NPT	6,00 \$	<b>ELB3/4</b>
1" NPT	8,00 \$	<b>ELB 1</b>
1¼" NPT	10,00 \$	<b>ELB 1¼"</b>



- **Valve Female/Female brass Dahl**

diameter	Price	#item
1/2 " NPT	80 \$	<b>Valve½ 90 F/F</b>
3/4" NPT	85 \$	<b>Valve3/4 90 F/F</b>





1-855-632-6723

## HYDRONIC RADIATORS

- Valve Male/Female brass Includes nipple and brass ring Dahl

diameter	straight	#item
1/2 " NPT	75 \$	<b>Valve 1/2 M/F -0- SW</b>
3/4" NPT	85 \$	<b>Valve 3/4 M/F -0- SW</b>



diameter	90°	#item
1/2 " NPT	80 \$	<b>Valve 1/2 M/F 90°SW</b>
3/4" NPT	85 \$	<b>Valve 3/4 M/F 90°SW</b>



- Bleeder 1/8 NPT

5,50 \$ ea.

Item # **bleeder1/8**



-Push nipples

2" = 10\$ ea. 2 1/4" = 12\$ ea.

diameter center (inches)	diameter at the end (inches)	# item
2"	1,925	<b>PN2"A</b>
2 1/4"	2,190	<b>PN2 1/4"A</b>
2"	1,937	<b>PN2"B</b>
2 1/4"	2,175	<b>PN2 1/4"B</b>
2 1/4"	2,210	<b>PN2 1/4"C</b>





1-855-632-6723

## ELECTRIC RADIATORS

- Braided nylon Wire cover

5\$/foot

Black : item# **CacheFN**

White : item# **CacheFB**



### Non-programmable Thermostat

**Aube**

Maximum 2500 watts each  
Ideal for small space. Dimensions : 5,0 x 3,3 x 1,2 "

**Price 45\$;**

**item # TH401**



### Programmable Thermostats

**Aube**

Programmable 7 days  
Maximum 4000 watts  
NB :4 wires cut 2 lines  
Dimensions :4,89x 2,76 x 0,91"

**Price 135\$**

**item # TH115-240**





1-855-632-6723

# ELECTRIC RADIATORS

## Wireless Programmable Thermostat

### Econnect

Wireless and programmable 7days  
Maximum 3000 watts per thermostat ;(can be combined)  
Dimensions: Thermostat 5.13 x 3.22 x 1.14" (Relay): 3.03 x 2.49 x 1.28 "  
(Antenna): 2.89 x 2.63 x 1"


**Kit (thermostat, antenna, relay) : 340\$**  
**Extra relay and antenna: 250\$**

**item # TH-Econnect**  
**item # TH-rel ant Econnect**



## Thermostats and Relay

### **DUO Relay and thermostat 24V (low voltage) programmable 7days**



Discrete wire, relay can be combined.

Aube thermostat

**DUO 15A** (Max. 15A or 3500w per relay)  
Relay Dimensions : 3- 1/32 X 2 -5/8 x 1 -5/8 "

**Duo 15A: 230\$**  
**Extra relay Cristal 15A:95\$**

item # DUO15A24VA  
item # Cristal15A

Or

**DUO 25A** (Max. 25A or 6000w per relay)  
Relay Dimensions : 4X 4- 3/4 X 2-5/8"

**Duo 25A: 260\$**  
**Extra Relay Cristal 25A :125\$**

item # DUO25A24VA  
item # Cristal25A

### **TRIO Relay, thermostat 24V (low voltage) and web interface**



The low voltage thermostat Sinope TH1400ZB allow you to control manually and remotely the heating system. (Sinope web interface required)

**Trio 15A** (Max. 15A or 3500w per relay)  
Dimensions : 4.8X 2.88X0.5"

**TRIO 15A: 302\$**  
**Extra Relay Cristal 15A:95\$**

item # TRIO15Aweb  
item # Cristal15A

Or

**Trio 25A** : (Max. 25A or 6000w per relay)  
Dimensions : 4.8X 2.88X0.5"

**TRIO 25A: 332\$**  
**Extra Relay Cristal 25A :125\$**

item # TRIO25Aweb  
item # Cristal25A




1-855-632-6723

**DUO Relay and thermostat TH135-24V (low voltage) no-programmable**



OR



Small Aube thermostat 3" x 3" home automation compatible  
Discrete wire, relay can be combined.

**DUO 15A** (Max. 15A or 3500w per relay)

Relay Dimensions : 3- 1/32 X 2 -5/8 x 1 -5/8 "

**Duo 15A: 175\$**

item # DUO15A24VNP

**Extra relay Cristal 15A:95\$**

item # Cristal15A

Or

**DUO 25A** (Max. 25A or 6000w per relay)

Relay Dimensions : 4X 4- 3/4 X 2-5/8"

**Duo 25A: 205\$**

item # DUO25A24VNP

**Extra Relay Cristal 25A : 125\$**

item # Cristal25A